


EGT-4 CAN





FuelTech's EGT-4 CAN is a 4-channel signal conditioner with CAN bus communication for use with PowerFT ECU's including the FT450, FT550, FT550LITE, and FT600. When paired with a PowerFT ECU, the EGT-4 acts as an input expander, removing up to 4 type K thermocouple inputs (grounded junction or not), such as EGT's, CHT's, oil, air, water, or other temperatures from the white ECU input channels by allowing them to communicate via the CAN bus network. Up to 4 EGT-4 modules may be used in the same installation, making up to 16 input channels available for additional data acquisition.

Rating: Not Rated Yet

Price

£427.00

[Ask a question about this product](#)

Description

PACKAGES

V8 / 2 units, harnesses and 8 sensors:

- w/ 2 harnesses
- 2 of each 42"/36"/30"/24" Thermocouple sensors included
- Add second EGT-4 CAN unit

6 cylinder / 2 units, harnesses and 6 sensors:

- w/ 2 harnesses
- 48"/42"/36"/30"/24"/18" Thermocouple sensors included
- Add second EGT-4 CAN unit

4 cylinder / harness and 4 sensors:

- w/ harness
- 42"/36"/30"/24" Thermocouple sensors included

4 rotor / harness and 4 sensors:

- w/ harness
- 4 of the 36" Thermocouple sensors included

3 rotor / harness and 3 sensors:

- w/ harness

EGT CONDITIONERS: EGT-4 CAN

- 3 of the 36" Thermocouple sensors included

2 rotor / harness and 2 sensors:

- w/ harness
- 2 of the 36" Thermocouple sensors included

TECH DESCRIPTION

- **Inputs:** 4 type K thermocouple inputs
- **Outputs:** 1 CAN
- **Dimensions:**
 - EGT-4 CAN : 4.33 x 2.28 x 0.7 in
 - EGT-4 CAN Packaging: 8.78 x 6.38 x 2.36 in
- **Weight:**
 - EGT-4 CAN : 4.87 oz
 - EGT-4 CAN Packaging without harness 78.75 in: 12.13 oz
- **Contents of packaging:**
 - 1 EGT-4 CAN
 - 1 Installation and operation manual
- **Warranty:**
 - **Worldwide:** 1 year

Reviews

There are yet no reviews for this product.